

## MUNICIPAL CORPORATION KARIMNAGAR (MCK)

### EXPRESSION OF INTEREST AND INVITATION OF QUOTATIONS

for

MCK desires to invite Competitive Quotations from reputed vendors for **Various items such as Loop Pile wall to wall carpet, Fixed type chair, VRF Outdoor unit, Indoor unit, DX highwall, Carpet grass, Plantation and Public Addressing System** to be implemented for the project "Construction of Amrutha Varshini (Auditorium) at SSR Degree College in Karimnagar Municipal Corporation."

**Invited by:**

**The Commissioner**

Municipal Corporation Karimnagar

E-mail: [krmc.engg@gmail.com](mailto:krmc.engg@gmail.com)

Tel No: +919849906691

**MUNICIPAL CORPORATION KARIMNAGAR (MCK), KARIMNAGAR**

**Ref: 01/Auditorium/E1/MCK/2021-22 dated 27.09.2021**

## **Invitation for Expression of Interest**

MCK desires to invite Competitive Quotations from reputed vendors for **Various Items such as Loop Pile wall to wall carpet, Fixed type chair, VRF Outdoor unit, Indoor unit, DX highwall, Carpet grass, Plantation and Public Addressing System** to be implemented for the project "Construction of Amrutha Varshini (Auditorium) at SSR Degree College in Karimnagar Municipal Corporation." The detailed Specifications and BOQ can be downloaded from website of **[www.karimnagarcorporation.telangana.gov.in](http://www.karimnagarcorporation.telangana.gov.in)** and will be available from **28.09.2021** onwards. **The last date for submission of proposals is 05.10.2021 up to 17.00 Hrs.**

***For more details contact:***

Municipal Corporation Karimnagar

E-mail: [krmc.engg@gmail.com](mailto:krmc.engg@gmail.com)

Mobile No: 9849906691

**Sd/-  
Commissioner  
MCK**

## KEY DATES

<b>No.</b>	<b>Activity</b>	<b>Deadline</b>
1	Issue of Document	28.09.2021, 1:00 PM
2	Last date for submission of Eol	05.10.2021, 5:00 PM

Invitation for quotations for Various Items such as Loop Pile wall to wall carpet, Fixed type chair, VRF Outdoor unit, Indoor unit, DX highwall, Carpet grass, Plantation and Public Addressing System.

### **Table of Contents**

1	Introduction	5
1.1	KARIMNAGAR	5
1.2	Authority issuing Invitation for EOI	5
1.3	Eligibility	6
1.4	Invitation of this Quotation Conditions	6
1.5	Submission of Quotation	7
1.6	Detailed Bill of Quantities (BOQ) along with Detailed Specifications	8

## **1 Introduction**

### **1.1 KARIMNAGAR**

Karimnagar city is a major Urban agglomeration governed by Municipal Corporation and is the headquarters of the Karimnagar district. It is situated on the banks of Manair River which is a tributary of the Godavari River. It serves as a major educational and health hub for the northern districts of Telangana. Ramnagar and Rampur Gram Panchayaths were merged in the municipality in 1987. The first General Town Planning scheme was approved in the year 1976 and the horizon period was 1991. Recently, in the year 2005, it was upgraded to the status of the Municipal Corporation. Further, (8) adjoining villages were merged into the Corporation in the year 2019.

### **1.2 Authority issuing Invitation for EOI**

Municipal Corporation Karimnagar (the Authority) wishes to incorporate the Various Items such as Structural Glass Flooring Works, Lifts, Fountains, CCTV Cameras, Tennis Court Flooring, EPDM Flooring, Kid's Play Equipment, Outdoor Lighting, Electric Works and Landscape & Plantation Works, Drip/ Sprinkler System and Parametric Pavilion etc., for the project "Construction of Amrutha Varshini (Auditorium) at SSR Degree College in Karimnagar Municipal Corporation."

**The Authority reserves the right to reject any or all the Quotations received without assigning any reason.**

Point of contact for any queries related to the EOI:

**Sri. P.V.Krishna Rao**

**Superintending Engineer**

Telephone / Mobile: +91-98499-06691

Mail: [krmc.engg@gmail.com](mailto:krmc.engg@gmail.com)

**All interested respondents are expected to read carefully all instructions, forms, terms and conditions and other details in this document.** The respondents are also expected to have a detailed site visit and study of all the proposed project site/location. Failure to furnish the complete information Pertaining to the particular part of BOQ may lead to rejection of the quotation of the respondent.

### **1.3 Eligibility**

- a) The invitation is open to all entities that are Sole Proprietorship, or Partnership Firms or companies or agencies that are registered under appropriate category.
- b) The respondent should be operational continuously for the Last one year as on the date of submission.
- c) The respondents may be an independent single entity or a joint venture or a consortium/association of entities;
- d) In the case of a joint venture / consortium the name of the entity that is the “Lead Partner/Lead Member” should be clearly stated in the Quotation.
- e) The number of entities in a joint venture/consortium/association is limited to 3 (Three).
- f) The respondent (single independent entity or any partner/member of a joint venture / association / consortium) should not have been blacklisted / debarred by any donor agency/State Government/Central Government or its agencies in India or abroad and if blacklisted/debarred for a particular time, such bar (blacklisted/debarred) should not be applicable as on the date of submission of the Quotation.
- g) The respondents are expected to be Distributors/Manufacturers who can meet the scope of work in total.
- h) Decision of the Authority, regarding the eligibility, is final and binding.

### **1.4 Invitation of this Quotation Conditions**

- a) The respondents can quote for any single part or all the parts that the respondent is capable of executing the works.
- b) This request for Quotation is not an offer and does not carry any commitment to engage a private partner who submits the same or any other commitment related thereto.
- c) The Authority reserves the right to withdraw this request for Quotation and change or vary any part thereof at any stage if the Authority feels that such action is in the best interest of the Project. Decision of the Superintending Engineer, MCK is final and binding in this regard.
- d) Timing and sequence of events resulting from this request for Quotation shall ultimately be determined by the Authority.

- e) Each interested single independent entity, any partner in case of a joint venture or any member in case of an association/consortium shall submit only one Quotation.
- f) For all the Quotations received before the last date and time prescribed for submission, the proposals and accompanying documentation will become the property of Authority and will not be returned after opening of the proposals. Authority shall not be bound by any language in the proposal indicating the confidentiality of the proposal or any other restriction on its use or disclosure. Authority is not restricted in its rights to use or disclose any or all of the information contained in the proposal and can do so without compensation to the respondents who have submitted their Quotations.
- g) The respondent shall ensure that the proposal is complete in all respects and conforms to all requirements indicated in this invite document.

#### **1.5 Submission of Quotation**

Interested entities who meet the eligibility conditions set forth in this document, may furnish their Quotation with all the necessary documents in a sealed envelope super-scribed “**Quotation for Invitation for quotations for Various Invitation for quotations for Various Items such as Loop Pile wall to wall carpet, Fixed type chair, VRF Outdoor unit, Indoor unit, DX highwall, Carpet grass, Plantation and Public Addressing System**” duly signed by an authorized signatory on or before as per key dates to the following address and obtain acknowledgement of submission for the same:

**The Commissioner**

KARIMNAGAR Municipal Corporation  
2<sup>nd</sup> Floor, Opp: TSRTC Bus-stand, KARIMNAGAR  
505001, Telangana, India.  
E-mail: [krmc.engg@gmail.com](mailto:krmc.engg@gmail.com)  
Mobile: +91-9849906691

**The interested vendors may submit their quotation through email at [krmc.engg@gmail.com](mailto:krmc.engg@gmail.com) on or before as per key dates.**

**Note:** 1. Incomplete Quotation's will be rejected.  
2. The Authority reserves the right to extend the Quotation submission date.  
3. The Authority reserves the right to verify the furnished details & documents at any point of time as may be determined by the authority, furnished by the respondents independently and also reserves the right to reject any proposal without assigning any reason thereof in the interests of effective implementation of the project.

### 1.6 Detailed Bill of Quantities (BOQ) along with Detailed Specifications

S. No	Description of item	Qty
1	Manufacture, Supply, transport, fixing & installation of Loop pile wall to wall carpet, including all labour charges & conveyance to site etc., complete for finished item of work.	1 sqm
2	Supply, fabrication and erection of structurally glazed Semi Initized type system having aluminium frame work consisting of mullions and transomes with aluminium grade 6063 T6 of Jindal, Hindalco, Bhoruka or equivalent approved make as approved by Engineer-in-charge, all aluminium sections finished with powder coating of not less than 70 microns of Akzo Noble, Jotun or equivalent approved make and shade, including preparation and submission of shop drawings,( Excluding cost of aluminium sections )( fixing mechanically held with EPDM gaskets and pressure plate to main frame with cover cap and providing sealant of Dow Corning DC789 or GE Silicon with all approved standard accessories and hardwares, providing EPDM gasket of Shore A Durometer Hardness 70+/-5 in accordance with ASTM D 2240 and Tensile strength and elongation as per ASTM D 412 and specific gravity as per ASTM D 792, sealing the curtain wall to the host structure and not adjoining materials with approved water proofing membrane and insulation to prevent sound transmission and to enable pressure equalisation and self draining, the System and glass to have structural adequacy/ 1.56 kpa or as per IS 875 part 3, anchoring / bracing of the curtain wall glazing to the RCC slab / beams / columns with hot dip galvanized brackets of approved design including providing GI or PVC shims of various thickness to adjust the level / line variations fixed with SS dash fasteners Hilti/Fischer/Hafle make as per structural requirement / approved by Engineer Incharge and to withstand the dead load of the curtain walls as well as stresses due to wind pressure etc., providing 15 to 20mm Expansion joint gap (Stack Joints) to a depth of not less than 10 mm for unitised panels, all screws, bolts, expansion bolts, nuts and washers used shall be only stainless steel of 316 grade including erection & removal of steel scaffolding, cleaning	1 sqm
3	Manufacture, Supply, transport, fixing & installation of Seat 41/2 x 31/2 Step PU Molded Cushion Placed on Compressed Plywood Seat 16" x 17" x 18mm thick. Back 26" Bent Compressed Plywood 15mm thick duly cushioned with 3" Pu Molded Cushion . Both Seat and Back covered with form laminated fabric. Chair both SEAT AND BACK shall fixed type, Both seat and back bases provided with polypropylene Shells. All handles made out of teak wood lacquered to matt Finish All stands made out of 50mm x 5mm iron flat. Chair center to center 20" with common handles including all alabour charges & conveyance to	1 No.'s



	site etc., complete for finished item of work.	
4	<p>Supply of VRF Outdoor Unit (ODU) of minimum COP Inverter Compressor to be as per the technical specifications. The outdoor unit shall have the multi-step of capacity control to meet load fluctuation and indoor unit individual control. Unit shall be equipped with an oil recovery system to ensure stable operation with long refrigerant piping. System suitable for Cooling with R-410 A . Outdoor condensing unit comprising of Hermetic Scroll compressor, Heat Exchanger, propeller / axial fans, refrigerant Circuit, filter driers, sight glass, liquid receivers, accumulators, Safety Devices, Oil Recovery System with complete charge of gas and recommended oil. The outdoor unit shall be fully capable of working in conjunction with multiple indoor units of various capacities as per list of IDUs mentioned in the equipment summary. outdoor units to be mounted on suitable MS platform with suitable Vibration Isolation pads to avoid vibrations, all the supports and angle base frame structure to be duly black painted with synthetic epoxy paint etc complete with finished item of work. Make: DAIKIN</p> <p>Daikin Latest -14 HP MODEL- (RX(Y)MQ14ARY16) -out door unit</p>	1 No.'s
5	<p>Supply of Indoor Units : The units shall be ceiling mounted type, the housing of the unit shall be of powder coated galvanized steel and shall include pre filter, fan section, coil section, with inbuilt Condensate drain pump kit, etc. The body shall be light in weight and shall be able to suspend from four corners. The fan shall be Aerodynamically designed DIDW Centrifugal type with canvass connection to main duct. The fan shall be mounted directly on motor shaft having supported from housing. The fan shaft shall be statically and dynamically balanced. The fan shall be direct driven type. This should includes required size of acoustically treated plenums with outlet collars with dampers , fire retarded flexible connections, etc Including remote control with suitable angle frame and painting to the supports etc for finished item of work. Make: DAIKIN</p> <p>Daikin Latest -8.5 TR HI STATIC DUCTIBLE UNIT</p>	1 No.'s
6	<p>Supply of VRF Outdoor Unit (ODU) of minimum COP Inverter Compressor to be as per the technical specifications. The outdoor unit shall have the multi-step of capacity control to meet load fluctuation and indoor unit individual control. Unit shall be equipped with an oil recovery system to ensure stable operation with long refrigerant piping. System suitable for Cooling with R-410 A . Outdoor condensing unit comprising of Hermetic Scroll compressor, Heat Exchanger, propeller / axial fans, refrigerant Circuit, filter driers, sight glass, liquid receivers, accumulators, Safety Devices, Oil Recovery System with complete charge of gas and recommended oil. The outdoor unit shall be fully capable of working in conjunction with multiple indoor units of various capacities as per list of IDUs mentioned in the equipment summary. outdoor units to be mounted on suitable MS platform with suitable Vibration Isolation pads to</p>	1 No.'s

Invitation for quotations for Various Items such as Loop Pile wall to wall carpet, Fixed type chair, VRF Outdoor unit, Indoor unit, DX highwall, Carpet grass, Plantation and Public Addressing System.

	avoid vibrations, all the supports and angle base frame structure to be duly black painted with synthetic epoxy paint etc complete with finished item of work. Make: DAIKIN	
	Daikin Latest -20HP MODEL- (RX(Y)MQ20ARY16) -out door unit	
7	Supply of DX highwall mounted type indoor unit operating on single phase 220V, 50Hz AC supply comprising of prefilter fan, density & population sensor, section with low noise fan, multispeed motor coil section with DX coil, outer cabinet, drain water lift- Up mechanism, insulation, including all types of Refrigerant pipe joint kit connections, fresh air intake, with cordless remote controller etc., for the following capacities Make: DAIKIN	1 No.'s
A	1.5 TR nominal capacity High wall type IDU FXAQ63PVE6	1 No.'s
B	1.0 TR nominal capacity High wall type IDU FXAQ63PVE6	1 No.'s
8	CARPET GRASS - KOREAN / MEXICAN: Bed preparation : Dressing the surface to the desired shape, laying 6" layer of fine red soil, covered with a thin layer of sand, watering, rolling with hand roller ,4" thickness after rolling-, including the cost of red earth, sand and labour charges etc complete but excluding the cost of fertilizers, chemicals & grass.	1 sqm
9	Cost of carpet grass	1 sqm
10	Carpet grass laying and ramming	1 sqm
11	Hedge / Shrub planting: Digging the trench of size 45 cm depth, refilling the trench with red soil including cost of red soil and farmyard manure at 4:1 ratio, internal transportation of plants and planting the plants including the application of fertilizers and pesticides etc., (@ 20 gms/pit/sqmt) complete but excluding the cost of the fertilizers (@ 20 gms/pit/sqmt) and plant material.	
	Pits for plantation	1 No.'s
12	Plantation	
	A. Royal Palms -7' ht	1 No.'s
	B. Cassia Fistula - 3' ht	1 No.'s
	C. Spathodea - 3' ht	1 No.'s
13	Public Addressing System	1 No.'s

**Note:** All Rates shall be inclusive of all taxes and duties but exclusive of GST. GST shall be indicated separately by the respondent.